

Index

- $\mathcal{B}_{n,m}$, 19
- ε , 9
- $\mathcal{H}(\pi)$, 109
- $\mathcal{H}(p)$, 17
- $\mathcal{H}((p_1, \dots, p_\sigma))$, 18
- $\mathcal{H}(\text{Pr})$, 16
- $\mathcal{H}([s_1 \dots s_k])$, 21
- $\mathcal{H}_0(B)$, 19
- $\mathcal{H}_0(S)$, 20
- $\mathcal{H}_k(S)$, 22
- \mathcal{H}_{wc} , 14
- \mathcal{O} -notation, 7
- o -notation, 7
- Ω -notation, 7
- ω -notation, 7
- π , 103
- Ψ , 397
- Σ , 9
- σ , 9
- Σ^n , 9
- Σ^* , 9
- T^{bwt} , 409
- Θ -notation, 7
- w , 9

- alphabet, 9, 120
- alphabet partitioning, 150
- approximate pattern matching, 382
- array, 39
- autocompletion search, 254, 506

- backward search, 401
- balanced parentheses, 167

- excess, 167
- multiple, 200
- operations, 167–169
- binary relation, 327
- binary tree, 211
 - BP-based, 228, 473
 - dynamic, 471, 473
 - LOUDS-based, 219, 471
- bitvector, 64
 - dynamic, 450
 - on disk, 524
 - very sparse, 82, 462
- block graphs and trees, 516
- BP, *see* tree
- Burrows-Wheeler Transform, 409
- bwstep** on compressed suffix arrays, 423
- BWT, 409
 - Geometric, 540

- cardinal tree, 211
 - DFUDS-based, 240, 475
 - dynamic, 471, 475
 - LOUDS-based, 219, 471
- Cartesian tree, 208
- Catalan numbers, 15
- ccw neighbor order, 309
- CDAWG, 521
- code, 14, 22
 - δ , 32
 - γ , 31
 - arithmetic, 30
 - average length, 16
 - differential, 59
 - direct access, 53

550

code (*cont.*)
 Elias-Fano, 57
 Huffman, *see* Huffman codes
 instantaneous, 23
 PforDelta, 32
 prefix or prefix-free, 23
 Rice and Golomb, 32
 Shannon-Fano, 24
 Simple-9 and Simple-16, 32
 unambiguous, 23
 unary, 31
 VByte, 32
 compact data structures, 10
 compressed data structures, 10
 compressed RAM, 498
 context-free grammar, 248
 CW and CCW face order, 311
 cycle of permutation, 104
 DAG, 338
 DFUDS, *see* tree
 dictionary, 91
 differential encodings, 59
 direct access codes, 53, 76
 document array, 439
 document counting, 442
 document listing, 438
 dominating points, 372
 Elias-Fano codes, 57, 82
 encoding, *see* code
 encoding data structure, 11, 202, 502
 entropy, 14
 binary, 17
 effective, 502
 empirical, 17
 empirical k th-order, 21, 410
 empirical zero-order, 19
 expected effective, 504
 high-order or k th-order, 21
 Lempel-Ziv based, 509
 of permutations, 109
 Shannon, 16
 worst-case, 14
 extendible array, 498
 face of a planar graph, 307
 FM-index, 406
 dynamic, 485
 fully compressed data structures, 10
 functions, 266

INDEX

Geometric BWT, 540
 GIS, 347, 373
 grammar, 248
 grammar compression, 248, 382, 517
 graph, 279
 adjacency list or array, 280
 adjacency matrix, 280
 articulation point, 318
 biconnected, 318
 clustered, 291
 CW and CCW orders, 318
 directed acyclic, 338
 dynamic, 480
 face, 307
 k -page, 296
 labeled, 285
 next, 318
 on disk, 534
 orderly spanning tree, 309, 318
 outerplanar, 308
 partial order, 341
 planar, 307
 planar drawing, 336
 planar map, 307
 planar routing, 330
 plane graph, 307
 prev, 318
 realizer, 341
 separable, 341
 social network, 339
 spanning tree, 308
 triangular or triangulation, 308
 triconnected, 321
 undirected, 284
 Web, 339
 grid, 115, 347
 dynamic, 480
 on disk, 530
 hashing, 91
 minimal perfect, 95
 monotone minimal perfect, 96
 perfect, 92
 universal, 91
 Heaps' law, 36
 Huffman codes, 25
 canonical, 28
 for wavelet matrices, 146
 for wavelet trees, 137
 length-restricted, 115, 118
 Huffman tree, *see* Huffman codes

- incompressible set, 17
- initializable arrays, 50
- integer functions, 266
- inverted index, 35, 59, 89, 116, 157
 - intersections, 59, 89, 157
 - non-positional, 157, 164
- Jensen's inequality, 33
- kernelization, 519
- Kraft-McMillan inequality, 23
- k^2 -tree, 291, 357
 - dynamic, 482
 - on disk, 533
- labeled tree, 211, 241
 - dynamic, 479
- lcp, 419
- LCP array, 419
- left-to-right minima tree, 191, 202
- Lempel-Ziv compression, 509
 - convergence, 510
 - indexing, 513
 - LZ76, 509
 - LZ77, 510
 - LZ78, 259, 510, 518
 - relative, 519
- level ancestor queries, 192, 208
- ln, 8
- LOF-SA, 535
- log, 8
- longest common prefix array, 419
- LOUDS, *see* tree
- LZ76, LZ77, LZ78, *see* Lempel-Ziv compression
- nearest marked ancestors, 201
- nearest smaller value, 505
- next smaller value, 504
- non-systematic data structure, 11
- operations
 - most on trees, 213*t*, 220
 - access on bitvectors, 64
 - access on sequences, 120
 - adj on graphs, 279
 - bitclear on bit arrays, 41
 - bitclear on bitvectors, 458
 - bitread on bit arrays, 41
 - bitset on bit arrays, 41
 - bitset on bitvectors, 458
 - bwdsearch on parentheses, 168
 - close on parentheses, 168
 - closest on grids, 374
 - count on grids, 347
 - count on texts, 395
 - degree on graphs, 279
 - delete on bitvectors, 450, 461
 - delete on sequences, 465
 - deletedoc on texts, 485
 - deletenode on trees, 467, 471
 - deletepoint on grids, 480
 - emptiness on grids, 353
 - enclose on parentheses, 168
 - excess on parentheses, 167
 - find in dictionaries, 91
 - fdwsearch on parentheses, 168
 - highest on grids, 355
 - indegree on graphs, 279
 - initialize on arrays, 50
 - inorder on trees, 229
 - inorderselect on trees, 229
 - insert on bitvectors, 450, 459
 - insert on sequences, 465
 - insertchild on trees, 467, 471
 - insertdoc on texts, 485
 - insertpoint on grids, 480
 - inverse in permutations, 105
 - iread on arrays, 50
 - iwrite on arrays, 50
 - leafnum* on rmM-trees, 171
 - leftchild on binary trees, 221
 - leftmost on grids, 355
 - levelnext on trees, 270
 - levelprev on trees, 270
 - locate on texts, 395
 - locus on suffix trees, 420
 - mincount on parentheses, 169
 - minselect on parentheses, 169
 - neigh on graphs, 279
 - numleaf* on rmM-trees, 171
 - on labeled graphs, 285
 - open on parentheses, 168
 - outdegree on graphs, 279
 - π^{-1} in permutations, 103
 - π^k in permutations, 103
 - popcount* on bits, 73
 - pred on bitvectors, 89
 - rank on bitvectors, 64, 188
 - rank on sequences, 120
 - read on arrays, 39
 - report on grids, 347

operations (*cont.*)
 retrieve in dictionaries, 91
 rightchild on binary trees, 221
 rMq on parentheses, 169
 rmq on parentheses, 169
 rneigh on graphs, 279
 search on partial sums, 48
 select on bitvectors, 64, 188
 select on sequences, 120
 slink on suffix trees, 420
 strdepth on suffix trees, 420
 string on suffix trees, 420
 succ on bitvectors, 89
 sum on partial sums, 48
 top on grids, 347
 wlink on suffix trees, 420
 write on arrays, 39

opportunistic data structures, 10

ordinal tree, 15, 211

parsing, in Lempel-Ziv, 259, 509

partial sums, 48, 87
 dynamic, 463

Patricia tree, 256

permutation, 103
 compressible, 108, 155
 cycle, 104
 inverse, 103
 power, 103
 run, 109
 shortcut, 104

phrase, in Lempel-Ziv, 259, 509

PLCP array, 424

popcount, population count, 73

predecessor problem, 89

prefix, 9

presortedness of arrays, 118

previous smaller value, 504

quadtree, 357

RAM model, 9

range min-max tree, *see* rmM-tree

range minimum queries, 196, 208
 succinct, 202

range queries
 majority, 505
 maximum sum, 505
 min-max, 505
 minimum, *see* range minimum queries

quantile, 159
 selection, 505
 top- k , 505

RDF, 328

Re-Pair, 249

rmM-tree, 170
 dynamic, 476
 on disk, 528

RMQ, *see* range minimum queries

RoSA, 535

run in a permutation, 109

runs in Ψ and T^{bwt} , 519

runs in bitvectors, 86

segment, 167

sequence, 120
 dynamic, 465
 on disk, 527

set, 91

shortcut in a permutation, 104

social networks, 339

SPARQL, 329

Stirling's approximation, 15

string, 9

String B-tree, 539

string depth, 420

subpath search, 432

subsequence, 9

substring, 9

successor problem, 89

succinct index, 11

suffix, 9

suffix array, 257, 379, 395
 compressed, 397
 dynamic, 485
 of an alignment, 521
 on disk, 534
 on repetitive texts, 519
 run-length compressed, 519

suffix link, 420

suffix tree, 257, 419
 compressed, 419
 dynamic, 498
 of an alignment, 521
 on disk, 539
 on repetitive texts, 521

systematic data structure, 11

TC, *see* tree

text, 395
 dynamic, 485

INDEX

553

- on disk, 534
- repetitive, 382, 513
- treap, 264
- tree, 211
 - binary, *see* binary tree
 - BP representation, 222, 472
 - cardinal, *see* cardinal tree
 - DFUDS representation, 233, 474
 - dynamic, 467
 - labeled, *see* labeled tree
 - LOUDS representation, 212, 469
 - on disk, 528
 - operations, 213*t*, 220, 221, 229, 270
 - ordinal, *see* ordinal tree
 - routing, 246
 - TC representation, 273, 528
- tree covering, *see* tree, TC
- trie, 211, 252, 438
 - LZ78, 259
 - on disk, 539
- trit, 30, 45
- typical text, 415
- wavelet matrix, 139, 349
 - compressed, 146
 - dynamic, 465, 480
 - Huffman shaped, 146
 - on disk, 530
- wavelet trees, 128, 348
 - compressed, 136
 - dynamic, 465
 - Huffman shaped, 137
 - matrices, *see* wavelet matrix
 - on disk, 530
- Web graph, 339
- Weiner link, 420
- wildcard, 380
- XML, 204, 262, 441
- XPath, 262, 441